



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

GILL-GARRISON et al.

Serial No. 09/771,933

Filed: January 30, 2001

For: COMPUTER-ASSISTED MEANS FOR ASSESSING
LIFESTYLE RISK FACTORS

Atty. Ref.: 620-130

Group: 1614

Examiner:

RECEIVED
OCT 29 2001
TECH CENTER 1600/2900
#9
BP
3-26-02

* * * * *

October 25, 2001

Assistant Commissioner for Patents
Washington, DC 20231

Sir:

INFORMATION DISCLOSURE STATEMENT

Listed on accompanying Form PTO-1449 are documents that may be considered material to the examination of this application, in compliance with the duty of disclosure requirements of 37 C.F.R. §§ 1.56, 1.97 and 1.98.

Where the publication date of a listed document does not provide a month of publication, the year of publication of the listed document is sufficiently earlier than the effective U.S. filing date and any foreign priority date so that the month of publication is not in issue. Applicants have listed publication dates on the attached PTO-1449 based on information presently available to the undersigned. However, the listed publication dates should not be construed as an admission that the information was actually published on the date indicated.

Applicants reserve the right to establish the patentability of the claimed invention over any of the information provided herewith, and/or to prove that this information may not be prior art, and/or to prove that this information may not be enabling for the teachings purportedly offered.

This statement should not be construed as a representation that a search has been made, or that information more material to the examination of the present patent

application does not exist. The Examiner is specifically requested not to rely solely on the material submitted herewith. It is further understood that the Examiner will consider information that had been cited by or submitted to the U.S. Patent and Trademark Office in a prior application relied on under 35 U.S.C. § 120. 1138 OG 37, 38 (May 19, 1992).

Applicants have checked the appropriate boxes below.

1. ☒ This Information Disclosure Statement is being filed within three months of the U.S. filing date OR before the mailing date of a first Office Action on the merits. No statement under 37 C.F.R. § 1.97(e) or fee is required. In the event, a first Office Action has been mailed prior to filing of the present Information Disclosure Statement, the Office is requested to treat the present paper s a submission under 37 C.F.R. § 1.97(c) ~~and charge the undersigned's Deposit Account No. 14-1140 for the fee required by 37~~ C.F.R. § 1.17(p). The present paper is submitted in duplicate for this purpose.

2. ☐ This Information Disclosure Statement is being filed more than three months after the U.S. filing date AND after the mailing date of the first Office Action on the merits, but before the mailing date of a Final Rejection or Notice of Allowance.

- a. ☐ I hereby state that each item of information contained in this Information Disclosure Statement was cited in a communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of this Information Disclosure Statement. 37 C.F.R. § 1.97(e)(1).
- b. ☐ I hereby state that no item of information in this Information Disclosure Statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to my knowledge after making reasonable inquiry, no item of information contained in this Information Disclosure Statement was known to any individual designated in 37 C.F.R. § 1.56(c) more than three months prior to the filing of this Information Disclosure Statement. 37 C.F.R. § 1.97(e)(2).
- c. ☐ Attached is our Check No. in the amount of \$ in payment of the fee under 37 C.F.R. § 1.17(p).

3. ☐ This Information Disclosure Statement is being filed more than three months after the U.S. filing date and after the mailing date of a Final Rejection or Notice of Allowance, but before payment of the Issue Fee. It is hereby requested that the Information Disclosure Statement be considered. Attached is our Check No. in the amount of \$ in payment of the fee under 37 C.F.R. § 1.17(i).

a. ☐ I hereby state that each item of information contained in this Information Disclosure Statement was cited in a communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of this Information Disclosure Statement. 37 C.F.R. § 1.97(e)(1).

~~b. ☐ I hereby state that no item of information in this Information Disclosure Statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to my knowledge after making reasonable inquiry, no item of information contained in this Information Disclosure Statement was known to any individual designated in 37 C.F.R. § 1.56(c) more than three months prior to the filing of this Information Disclosure Statement. 37 C.F.R. § 1.97(e)(2).~~

4. ☐ Relevance of the non-English language document(s) is discussed in the present specification.

5. ☐ The document(s) was/were cited in a corresponding foreign application. An English language version of the foreign search report is attached for the Examiner's information.

6. ☐ A concise explanation of the relevance of the non-English language document(s) appears below:

7. ☐ The Examiner's attention is directed to co-pending U.S. Patent Application No. , filed , (copy attached) which is directed to related technical subject matter. The identification of this U.S. Patent Application is not to be construed as a waiver of secrecy as to that application now or upon issuance of the present application as a patent. The Examiner is respectfully requested to consider the cited application and the art cited therein during examination.


8. ☐ Copies of the documents were cited by or submitted to the Office in Application No. , filed , which is relied upon for an earlier filing date under 35 U.S.C. § 120. Thus, copies of these documents are not attached. 37 C.F.R. § 1.98(d).

It is respectfully requested that the Examiner initial and return a copy of the enclosed PTO-1449, and to indicate in the official file wrapper of this patent application that the documents have been considered.

The U.S. Patent and Trademark Office is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 14-1140 referencing docket number 620-130.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: 
B. J. Sadoff
Reg. No. 36,663

BJS:eaw
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100

RECEIVED

OCT 29 2001

TECH CENTER 1600/2900

INFORMATION DISCLOSURE
CITATION

ATTY. DOCKET NO.

SERIAL NO.

620-130

09/771,933

APPLICANT

GILL-GARRISON et al.


FILING DATE

GROUP

January 30, 2001

1614

(Use several sheets if necessary)



U.S. PATENT DOCUMENTS

*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	6,074,821	6/2000	Rozen et al			
	4,683,195	7/1987	Mullis et al			
	4,683,202	7/1987	Mullis et al			
	5,858,659	1/1999	Sapolsky et al			
	5,686,246	11/1997	Kornman et al			
	5,844,108	12/1998	Meyer			
	5,508,199	4/1996	Gonzalez et al			
	4,358,535	11/1982	Falkow et al			
	6,045,996	4/2000	Cronin et al			
	5,648,482	7/1997	Meyer			
	5,837,832	11/1998	Chee et al			
	5,545,527	8/1996	Stevens et al			
	6,048,689	4/2000	Murphy et al			

FOREIGN PATENT DOCUMENTS

DOCUMENT	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
WO 99/64626	12/1999	PCT			

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

	Abravaya, K., Carrino, J. J., Muldoon, S., and Lee, H. H. 1995. Detection of point mutation with a modified ligase chain reaction (Gap-LCR). Nucleic Acids Research. 23:675-682.
	Agarwal, K., Jones, D. E., Daly, A. K., James, O. F., Vaidya, B., Pearce, S. & Bassendine, M. F., 2000, CTLA-4 gene polymorphism confers susceptibility to primary biliary cirrhosis, J Hepatol, 32, 4, p. 538 - 541.
	Alexandrie, A.-K., Warholm, M., Carstensen, U., Axmon, A., Hagmar, L., Levin, J.O., Ostman, C., and Rannug, A. CYP1A1 and GSTM1 polymorphisms affect urinary 1-hydroyprene levels after PAH exposure. Carcinogenesis 21(4)669-676, 2000.
	Ambrosone, C.B., Freudenheim, J.L., Thompson, P.A., Bowman, E., Vena, J.E., Marshall, J.R., Graham, S., Laughlin, R., Nemoto, T., and Shields P.G. Manganese Superoxide Dismutase (MnSOD) Genetic Polymorphisms, Dietary Antioxidants, and Risk of Breast Cancer. Cancer Research 59: 602-606, 1999.
	Ames, B. N. Cancer prevention and diet: Help from single nucleotide polymorphisms. Proceedings of the National Academy of Science USA 96(22): 12216-12218, 1999.
	Aron, Y., Swierczewski, E., Lockhart, A., 1994. A simple and rapid micromethod for genomic DNA extraction from jugal epithelial cells. Application to human lymphocyte antigen typing in one large family of atopic/asthmatic probands. Allergy 49 (9): 788-90.
	Barany, F. 1991. Genetic disease detection and DNA amplification and DNA amplification using cloned thermostable ligase. Proceedings of the National Academy of Science. USA 88:189-193.
	Bell, D.A, Stephens, E., Castranio, T., Umbach, D.M., Watson, M., Deakin, M., Elder, J., Duncan, H., Hendrickse, C., Strange, R.C. Polyadenylation polymorphism in the N-actetyltransferase gene 1 (NAT1) increases risk of colorectal cancer. Cancer Research 55: 3537-3542, 1995

*Examiner

Date Considered


Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Form PTO-FB-A820 (Also PTO-1449)

RECEIVED
 OCT 29 2001
 TECH CENTER 1600/2900

**INFORMATION DISCLOSURE
CITATION**

(Use several sheets if necessary)



ATTY. DOCKET NO.

620-130

APPLICANT

GILL-GARRISON et al.

FILING DATE

January 30, 2001

SERIAL NO.

09/771,933

GROUP

1614

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

	Bosron, W.F. and Li, T.K. Genetic polymorphism of human liver alcohol and aldehyde dehydrogenases and their relationship to alcohol metabolism and alcoholism. <i>Hepatology</i> 6: 502-510, 1986.
	Brand, E., Ringel, J. & Sharma, A. M., 2000, Role of the angiotensinogen gene for essential hypertension, <i>Herz</i> , 25, 1, p. 15 – 25. Original in German, abstract in English provided.
	Breslauer, et al., "Predicting DNA duplex stability from base sequence", <i>Proc. Nat'l Acad. Sci. USA</i> , 83: 3746-3750 (1986)
	Brockton, N., Little, J., Sharp, L. and Cotton, S.C. N-Acetyltransferase Polymorphisms and Colorectal Cancer: A HuGE Review. <i>American Journal of Epidemiology</i> 151(9): 846-861, 2000.
	Bryant, M.S., Skipper, P.L., Tannenbaum, S.R., and Niure, M. Haemoglobin adducts of 4-aminobiphenyl in smokers and non-smokers. <i>Cancer Research</i> 47: 612-618, 1987.
	Buervenich, S., Sydow, O., Carmine, A., Zhang, Z., Anvret, M. & Olson, L., 2000, Alcohol dehydrogenase alleles in Parkinson's disease, <i>Mov Disord</i> , 15, 5, p. 813-818.
	Bullido, M. J. & Valdivieso, F., 2000, Apolipoprotein E gene promoter polymorphisms in Alzheimer's disease, <i>Microsc Res Tech</i> , 50, 4, p. 261 – 267.
	Cheung, V. G., et. al., 1999, <i>Nature, Genetics</i> , vol. 21, 15-19.
	Corbo, R. M. & Scacchi, R., 1999, Apolipoprotein E (APOE) allele distribution in the world. Is APOE*4 a 'thrifty' allele?, <i>Ann Hum Genet</i> , 63, PT4, p. 301 – 310.
	Costa, L. G., 2000, The emerging field of ecogenetics, <i>Neurotoxicology</i> , 21, 1-2, p. 85-89.
	Cotton, S.C., Sharp, L., Little, J., and Brockton, N. Glutathione S-Transferase Polymorphisms and Colorectal Cancer (A HuGE review). <i>American Journal of Epidemiology</i> 151(1)7-32, 2000.
	Cramer, D. W., Greenberg, E. R., Titus-Ernstoff, L., Liberman, R. F., Welch, W. R., Li, E. & Ng, W. G., 2000, A case-control study of galactose consumption and metabolism in relation to ovarian cancer, <i>Cancer Epidemiol Biomarkers Prev</i> , 9, 1, p. 95-101.
	de Padua Mansur, A.; Annicchino-Bizzacchi, J.; Favarato, D.; Avakian, S. D.; Machado Cesar, L. A.; Franchini Ramires, J. A., 2000. Angiotensin-converting enzyme and apolipoprotein B polymorphisms in coronary artery disease. <i>Am J Cardiol</i> 85 (9): 1089-93.
	Di Castelnuovo, A., D'Orazio, A., Amore, C., Falanga, A., Donati, M. B. & Iacoviello, L., 2000, The decanucleotide insertion/deletion polymorphism in the promoter region of the coagulation factor VII gene and the risk of familial myocardial infarction, <i>Thromb Res</i> , 98, 1, p. 9 – 17.
	Dickey, C., Snatella, R., Hattis, D., Tang, D., Hsu, Y., Cooper, T., Young, T. and Perera F., Variability in PAH-DNA adduct measurements in peripheral mononuclear cells: implications for quantitative cancer risk assessment. <i>Risk Analysis</i> 17: 649-655, 1997.
	Dietz, A.C., Zheng, W., Leff, M.A., Gross, M., Xiao, G.-F., Doll, M.A., Wen, W.-Q., Folsom, A.R., Hein, D.W. N-acetyltransferase-2 (NAT2) acetylation polymorphism, well-done meat intake and breast cancer risk among post-menopausal women. <i>Proceedings of the American Association for Cancer Research</i> , 40: 148, 1999.
	Doll, M.A., Jiang, W., Deitz, A.C., Rustan, T.D., and Hein, D.W. Identification of a novel allele at the human NAT1 acetyltransferase locus. <i>Biochem. Biophys. Res. Commun.</i> 233: 584-591, 1997.
	Donati, M. B., Zito, F., Castelnuovo, A. D. & Iacoviello, L., 2000, Genes, coagulation and cardiovascular risk, <i>J Hum Hypertens</i> , 14, 6, p. 369 – 372.
	Donis-Keller H., Green P, Helms C., et. al. (1987), A genetic map of the human genome. <i>Cell</i> , 51, 319-337
	Eberhart, M.V., Lee, C.Y., Liu, R.H. Antioxidant activity of fresh apples. <i>Nature</i> 405: 903-904, 2000.

*Examiner

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.


Form PTO-FB-A820 (Also PTO-1449)

RECEIVED
 OCT 29 2001
 TECH CENTER 1600/2900

INFORMATION DISCLOSURE

CITATION

(Use several sheets if necessary)



ATTY. DOCKET NO.

620-130

APPLICANT

GILL-GARRISON et al.

FILING DATE

January 30, 2001

SERIAL NO.

09/771,933

GROUP

1614

- Fernandez-Real, J. M., Vendrell, J., Ricart, W., Broch, M., Gutierrez, C., Casamitjana, R., Oriola, J. & Richart, C., 2000, Polymorphism of the tumor necrosis factor-alpha receptor 2 gene is associated with obesity, leptin levels, and insulin resistance in young subjects and diet-treated type 2 diabetic patients, *Diabetes Care*, 23, 6, p. 831-837.
- Garte, S. The role of ethnicity in cancer susceptibility gene polymorphisms: the example of CYP1A1. *Carcinogenesis* 19(8) 1329-1332, 1998.
- Gelder, C. M., Hart, K. W., Williams, O. M., Lyons, E., Welsh, K. I., Campbell, I. A., Marshall, S. E., 2000, Vitamin D receptor gene polymorphisms and susceptibility to Mycobacterium malmoeense pulmonary disease, *J Infect Dis*, 181, 6, p. 2099-2102.
- Gibbs, R. A., Nguyen, P. N., and Caskey, C. T. 1989. Detection of single DNA base differences by competitive oligonucleotides priming. *Nucleic Acids Research*. 17:2437-2448.
- Gil, J.P., Lechner, M.C. Increased frequency of wild type arylamine-N-actyltransferase allele NAT2*4 homozygotes in Portuguese patients with colorectal cancer. *Carcinogenesis* 19(1) 37-41, 1998.
- Giovannucci, E. Nutritional factors in human cancers. *Advances in Experimental Medicine and Biology* 472:29-42, 1999.
- Grossman, P. D., Bloch, W., Brinson, E., Chang, C. C., Eggerding, F. A., Fung, S., Iovannisci, D. A., Woo, S., and Winn-Deen, E. S. 1994. High-density multiplex detection of nucleic acid sequences: oligonucleotides ligation assay and sequence-coded separation. *Nucleic Acid Research*. 22:4527-4534.
- Harries, L.W., Stubbs, M.J., Forman, D., Howard, G.c.W, Wolf R. Identification of genetic polymorphisms at the glutathione S-transferase pi locus and association with susceptibility to bladder, testicular, and prostate cancer. *Carcinogenesis* 18:641-644, 1997.
- Heilbronn, L. K., Noakes, M., Morris, A. M., Kind, K. L., Clifton, P. M., 2000, 360His polymorphism of the apolipoproteinA-IV gene and plasma lipid response to energy restricted diets in overweight subjects, *Atherosclerosis*, 150, 1, p. 187 - 192.
- Hein, D., Doll, M.A., Fretland, A.J., Leff, M.A., Webb, S.J., Xiao, U.-S.D., Nangju, N., Feng, Y., Molecular Genetics and Epidemiology of the NAT1 and NAT2 Acetylation Polymorphisms. *Cancer Epidemiology, Biomarkers & Prevention* 9: 29-42, 2000 (a).
- Hein, D., N-Acetyltransferase genetics and their role in predisposition to aromatic and heterocyclic amine-induced carcinogenesis. *Toxicology Letters* 112-113: 349-356, 2000 (b).
- Hennig, B. J., Parkhill, J. M., Chapple, I. L., Heasman, P. A. & Taylor, J. J., 1999, Association of a vitamin D receptor gene polymorphism with localized early-onset periodontal diseases, *J Periodontol*, 70, 9, p. 1032-1038.
- Hirvonen, A. Polymorphisms of Xeno-biotic-Metabolizing Enzymes and Susceptibility to Cancer. *Environ Health Perspect* 107 Supplement 1: 37-47, 1999.
- Ikuta, S., Takagi K., Wallace, R. B., and Itakura, K. 1987. Dissociation Kinetics of 19 base paired oligonucleotides-DNA Duplexes containing different single mismatched base pairs. *Nucleic Acids Research*. 15:797-811.
- Ilett, K.F., David, B.M., Dethon, P., Castlden, W.M, and Kwa, R. Acetylation phenotype in colorectal carcinoma. *Cancer Research* 47: 1466-1469, 1987.
- International Agency for Research on Cancer (IARC). Alcohol Drinking. IARC monographs on the evaluation of the carcinogenic risks to humans, IARC, Lyon. 44: 153-246, 1998.
- Kato, S., Bowman, E.D., Harrington, A.M., et al Human lung carcinogen DNA adduct levels mediated by genetic polymorphisms in vivo. *Journal of the National Cancer Institute* 87:902-907, 1995.
- Kawajiri, K., Eguchi, H., Nakachi, K., Sekiya, T., Yamamoto, M. Association of CYP1A1 germ line polymorphisms with mutations of the p53 gene in lung cancer. *Cancer Research* 56:72-76, 1996.

*Examiner

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Form PTO-FB-A820 (Also PTO-1449)

RECEIVED
 OCT 29 2001
 TECH CENTER 1600/2900

**INFORMATION DISCLOSURE
CITATION**

ATTY. DOCKET NO.

SERIAL NO.

620-130

09/771,933

APPLICANT

GILL-GARRISON et al.


FILING DATE

GROUP

January 30, 2001

1614

(Use several sheets if necessary)



	Landegren, U., Kaiser, R., Sanders, J., and Hood, L, 1988. A ligand-mediated gene detection technique. Science. 241:1077-1080.		
	Laplaud, P. M., Dantoine, T. & Chapman, M. J., 1998, Paraoxonase as a risk marker for cardiovascular disease: facts and hypotheses, Clin Chem Lab Med, 36, 7, p. 431-441.		
	Layton, D.W., Bogen, K.T., Knize, M.G., Hatch, F.T., Johnson, V.M., and Felton, J.S. Cancer risk of heterocyclic amines in cooked foods: an analysis and implications for research. Carcinogenesis 16: 39-52, 1995		
	Maciag, P. C., Schlecht, N. F., Souza, P. S., Franco, E. L., Villa, L. L. & Petzl-Erler, M. L., 2000, Major histocompatibility complex class II polymorphisms and risk of cervical cancer and human papillomavirus infection in Brazilian women, Cancer Epidemiol Biomarkers Prev, 9, 11, p. 1183 – 1191.		
	Mackness, B., Mackness, M. I., Durrington, P. N., Arrol, S., Evans, A. E., McMaster, D., Ferrieres, J., Ruidavets, J. B., Williams, N. R. & Howard, A. N., 2000, Paraoxonase activity in two healthy populations with differing rates of coronary heart disease, Eur J Clin Invest, 30, 1, p. 4 – 10.		
	MacLeod, S., Sinha, R., Kadlubar, F.F., Lang, N.P. Polymorphisms of CYP1A1 and GSTM1 influence the in vivo function of CYP1A2. Mutation Research 376(1-2): 135-142, 1997.		
	Marchand, L. L., Wilkinson, G. R. & Wilkens, L. R., 1999, Genetic and dietary predictors of CYP2E1 activity: a phenotyping study in Hawaii Japanese using chlorzoxazone, Cancer Epidemiol Biomarkers Prev, 8, 6, p. 495 – 500.		
	Matthias, C., Bockmuhl, U., Jahnke, V., Harries, L., Wolf, C.R., Jones, P.W., Aldersea, J. Worrall, S.F., Hand, P., Fryer, A.A. et al, The glutathione -S-transferase GSTP1 polymorphism: effects on susceptibility to oral/phryngeal and laryngeal carcinomas. Pharmacogenetics 8: 1-6, 1997.		
	Miki, M. & Satoh, K., 1999, Genetic risk factors for chronic obstructive pulmonary disease (COPD), Nippon Rinsho, 57, 9, p. 1954 – 1958. Original in Japanese, abstract in English provided.		
	Mooney, L.A., Perera, F.P. Application of molecular epidemiology to lung cancer chemoprevention. Journal of Cellular Biochemistry Supplement 25:63-8, 1996.		
	Mooney, L.A., Santella, R.M., Covey, L., Jeffrey, A.M., Bigbee, W., Randall, M.C., Cooper, T.B., Ottman, R., Tsai, W.-Y., Wazneh, L. et al. Decline in DNA damage and other biomarkers in peripheral blood following smoking cessation. Cancer Epidemiological Biomarkers Prevention 4: 627-634, 1995.		
	Newton, C. R., Graham, A., Heptinstall, L. E., Powell, S. J., Summers, C., Kalsheker, N., Smith, J. C., and Markham, A. F. 1989. Analysis of any point mutation in DNA. The amplification refractory mutation system (ARMS). Nucleic Acids Research. 17:2503-2516.		
	Nickerson, D. A., Kaiser, R., Lappin, S., Stewart, J., Hood, L., and Landegren, U. 1990. Automated DNA diagnostics using an ELISA-based oligonucleotides ligation assay. Proceedings of the National Academy of Science. USA 87:8923-8927.		
	Oliveira, J. R. & Zatz, M., 1999, The study of genetic polymorphisms related to serotonin in Alzheimer's disease: a new perspective in a heterogenic disorder, Braz J Med Biol Res, 32, 4, p. 463-467.		
	Ordovas, J. M., Cupples, L. A., Corella, D., Otvos, J. D., Osgood, D., Martinez, A., Lahoz, C., Coltell, O., Wilson, P. W., Schaefer, E. J., 2000, Association of cholesteryl ester transfer protein-TaqlB polymorphism with variations in lipoprotein subclasses and coronary heart disease risk: the Framingham study, Arterioscler Thromb Vasc Biol, 20, 5, p. 1323-1329.		
	Ota, N., Hunt, S. C., Nakajima, T., Suzuki, T., Hosoi, T., Orimo, H., Shirai, Y. & Emi, M., 1999, Linkage of interleukin 6 locus to human osteopenia by sibling pair analysis, Hum Genet, 105, 3, p. 253-257.		
*Examiner		Date Considered	

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Form PTO-FB-A820 (Also PTO-1449)

RECEIVED
 OCT 29 2001
 TECH CENTER 1600/2900

INFORMATION DISCLOSURE

ATTY. DOCKET NO.

SERIAL NO.

CITATION

620-130

09/771,933

APPLICANT

GILL-GARRISON et al.


FILING DATE

GROUP

January 30, 2001

1614

(Use several sheets if necessary)



- Perera, F. P. Molecular epidemiology and prevention of cancer. Environmental Health Perspectives 103 Suppl 8: 233-6, 1995.
- Perera, F.P. Environment and cancer: Who are susceptible? Science 278: 1068-1073, 1997.
- Perera, F.P. and Weinstein I.B. Molecular epidemiology: recent advances and future directions. Carcinogenesis 21 (3): 517-524, 2000.
- Pfutzer, R. H., Barmada, M. M., Brunskill, A. P., Finch, R., Hart, P. S., Neoptolemos, J., Furey, W. F. & Whitcomb, D. C., 2000, SPINK1/PSTI polymorphisms act as disease modifiers in familial and idiopathic chronic pancreatitis, Gastroenterology, 119, 3, p. 615 – 623.
- PicoGreen dsDNA Quantitation Reagent and Kit Instruction, (1996) Molecular Probes, Eugene, Or.
68. Pluth, J. M., Nelson, D. O., Ramsey, M. J. & Tucker, J. D., 2000, The relationship between genotype and chromosome aberration frequencies in a normal adult population, Pharmacogenetics, 10, 4, p. 311 – 319
69. Potter, J. D. Colorectal cancer: Molecules and Populations. Journal of the National Cancer Institute 91(11): 916-932, 1999.
- Raknes, G., Fernandes Filho, J. A., Pandey, J. P., Myhr, K. M., Ulvestad, E., Nyland, H., Vedeler, C. A., 2000, IgG allotypes and subclasses in Norwegian patients with multiple sclerosis, J Neurol Sci, 175, 2, p. 111 – 115
- Rojas, M., Cascorbi, I., Alexandrov, K., Kried, E., Auburtin, G., Mayer, L., Kopp-Schnieder, A., Roots, I., and Bartsch, H. Modulation of benzo[a]pyrene diol-epoxide-DNA adduct levels in human white blood cells by CYP1A1 GSTM1 and GSTT1 polymorphism, Carcinogenesis 21(1): 35-41, 2000
- Rosa-Rosa, L., Zimmermann, N., Bernstein, J. A., Rothenberg, M. E. & Khurana Hershey, G. K., 1999, The R576 IL-4 receptor alpha allele correlates with asthma severity, J Allergy Clin Immunol, 104, 5, p. 1008-1014.
- Ryberg, D., Skaug, V., Høwer, A., Phillips, D.H., Harries, L.W., Wolf, C.R., OGREID, D., Ulvik, A., Vu, P. Haugen, A. Genotypes of glutathione transferase M1 and P1 and their significance for lung DNA adduct levels and cancer risk. Carcinogenesis 18:1285-1289, 1997.
- Rychlik, W., "Selection of Primers for Polymerase Chain Reaction", Methods in Molecular Biology, Vol. 15: PCR Protocols: Current Methods and Applications, pp 31-40 (1993) Humana Press.
- Saiki, R. K., Walsh, P. S., Levenson, C. H., and Erlich, H. A. 1989. Genetic analysis of amplified DNA with immobilized sequence-specific oligonucleotide probes. Proceedings of the National Academy of Science. USA 86:6230-6234.
- Salas, J., Jansen, S., Lopez-Miranda, J., Ordoñas, J. M., Castro, P., Marin, C., Ostos, M. A., Bravo, M. D., Jimenez-Perez, J., Blanco, A., Lopez-Segura, F., Perez-Jimenez, F., 1998, The SstI polymorphism of the apolipoprotein C-III gene determines the insulin response to an oral-glucose-tolerance test after consumption of a diet rich in saturated fats, Am J Clin Nutr, 68, 2, p. 396-401.
- Schabath, M. B., Spitz, M. R., Zhang, X., Delclos, G. L. & Wu, X., 2000, Genetic variants of myeloperoxidase and lung cancer risk, Carcinogenesis, 21, 6, p. 1163 – 1166.
- Shields, P. G., Harris, C.C. Cancer Risk and low-Penetrance Susceptibility Genes in Gene-Environment Interactions. Journal of Clinical Oncology 18(11) 2309-2315, 2000.
- Sinha, R. & Caporaso, N., 1997, Heterocyclic amines, cytochrome P4501A2, and N-acetyltransferase: issues involved in incorporating putative genetic susceptibility markers into epidemiological studies, Ann Epidemiol, 7, 5, p. 350 – 356.
- Sinha, R., Chow, W.H., Kulldorff, M., Denobile, J., Butler, J., Garcia-Closas, M., Weil, R., Hoover, R.N., and Rothman, N. Well-done, Grilled Red Meat Increases the Risk of Colorectal Adenomas. Cancer Research 59: 4320-4324, 1999.
- Smith, G., Stanley, L.A., Sim, E., Strange, R., and Wolf, C.R. Metabolic Polymorphisms and Cancer Susceptibility. Cancer Surveys 25: 27-65, 1995.

*Examiner

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Form PTO-FB-A820 (Also PTO-1449)

TECH CENTER 1600/2900

OCT 29 2001

RECEIVED

INFORMATION DISCLOSURE
CITATION

ATTY. DOCKET NO.

SERIAL NO.

620-130

09/771,933

APPLICANT

GILL-GARRISON et al.


FILING DATE

GROUP

January 30, 2001

1614

(Use several sheets if necessary)



- Syvanen, A. C., Sayantile, A., and Lukka, M. 1993. Identification of individuals by analysis of biallelic DNA markers, Using PCR and solid-phase minisequencing. *American Journal of Human Genetics*. 52:46-59.
- Taningher, M., Malacarne, D., Izzotti, A., Ugolini, D. Parodi, S. Drug metabolism polymorphisms as modulators of cancer susceptibility. *Mutation Research* 436: 227-261, 1999.
- Togo, A. V., Suspitsin, E. N., Grigoriev, M. Y., Ilyushik, E. S., Karpova, M. B., Hanson, K. P. & Imyaninov, E. N., 2000, L-myc polymorphism in cancer patients, healthy blood donors and elderly, tumor-free individuals in Russia, *Int J Cancer*, 85, 6, p. 747-750.
- Tsai, M. Y., Welge, B. G., Hanson, N. Q., Bignell, M. K., Vessey, J., Schwichtenberg, K., Yang, F., Bullemer, F. E., Rasmussen, R. & Graham, K. J., 1999, Genetic causes of mild hyperhomocysteinemia in patients with premature occlusive coronary artery diseases, *Atherosclerosis*, 143, 1, p. 163-170.
- Ulrich, C.M., Kampman, F., Bigler, J., Schwartz, S.M., Chen, C., Bostick, R., Fosdick, L., Bereford, S.A.A., Yasui, Y., and Potter, J.D. Colorectal adenomas and the C677T MTHFR polymorphism: evidence for gene-environment interaction? *Cancer Epidemiological Biomarkers Prevention* 8: 659-668, 1999.
- Verlaan-de Vries, M., Bogaard, M. E., van den Elst, H., van Boom, J. H., van der Eb, A. J., and Bos, J. L. 1986. A dot-blot screening procedure for mutated ras oncogenes using synthetic oligodeoxynucleotides. *Gene*. 50:313-320.
- Vicente, V., Gonzalez-Conejero, R., Rivera, J. & Corral, J., 1999, The prothrombin gene variant 20210A in venous and arterial thromboembolism, *Haematologica*, 84, 4, p 356 – 362.
- Vineis, P. Molecular Epidemiology: Low-dose Carcinogens and genetic susceptibility. *International Journal of Cancer* 71: 1-3, 1997.
- Wallace, A. J., Humphries, S. E., Fisher, R. M., Mann, J. I., Chisholm, A., Sutherland, W. H., 2000, Genetic factors associated with response of LDL subfractions to change in the nature of dietary fat, *Atherosclerosis*, 149, 2, p 387 – 394.
- Wallace, R. B., Johnson, M. J., Hirose, T., Miyake, T., Kawashima, E. H. and Itakura, K., 1981. The use of synthetic oligonucleotides as hybridisation probes. II. Hybridization of oligonucleotides of mixed sequence to rabbit beta-globin DNA. *Nucleic Acids Research*. 9:879-894.
- Warrington, J. A., Dee, S. and Trulson, M., 2000, Large-Scale Genomic Analysis Using Affymetrix GeneChip® Probe Arrays. *Microarray Biochip Technology*, edited by M. Schena.
- Wilkinson, R. J., Llewelyn, M., Toossi, Z., Patel, P., Pasvol, G., Lalvani, A., Wright, D., Latif, M. & Davidson, R. N., 2000, Influence of vitamin D deficiency and vitamin D receptor polymorphisms on tuberculosis among Gujarati Asians in west London: a case-control study, *Lancet*, 355, 9204, p. 618-621.
- World Cancer Research Fund (WCRF) Panel. (Potter, J.D. Chair) Diet, nutrition, and the prevention of cancer: a global perspective. Washington, D.C.: WCRF/American Institute of Cancer Research, 1997.
- Wu, D. Y., and Wallace, R. B. 1989. The ligation amplification reaction (LAR)-amplification of specific DNA sequences using sequential rounds of template-dependent ligation. *Genomics*. 4:560-569.
- Yamada, N., Yamaya, M., Okinaga, S., Nakayama, K., Sekizawa, K., Shibahara, S. & Sasaki, H., 2000, Microsatellite polymorphism in the heme oxygenase-1 gene promoter is associated with susceptibility to emphysema, *Am J Hum Genet*, 66, 1, p. 187 – 195.
- Yershov, G., Barsky, V., et. al., 1996, *Proc. Natl. Acad. Sci. USA, Genetics*, Vol. 93, 4913-4918.
- Yokota, M., Ichiara, S., Lin, T. L., Nakashima, N. & Yamada, Y., 2000, Association of a T29-->C polymorphism of the transforming growth factor- beta1 gene with genetic susceptibility to myocardial infarction in Japanese, *Circulation*, 101, 24, p. 2783-2787.


*Examiner

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Form PTO-FB-A820 (Also PTO-1449)

RECEIVED
 OCT 29 2001
 TECH CENTER 1600/2900

INFORMATION DISCLOSURE CITATION		ATTY. DOCKET NO.	SERIAL NO.
 (Use several sheets if necessary)		620-130	09/771,933
		APPLICANT	
		GILL-GARRISON et al.	
		FILING DATE	GROUP
		January 30, 2001	1614
	Yokoyama, A., Muramatsu, T., Ohmori, T., Yokoyama, T., Okuyama, K., Takahashi, H., Hasegawa, Y., Higuchi, S., Maruyama, K., Shirakura, K., Ishii, H. Alcohol-related cancers and aldehyde dehydrogenase-2 in Japanese alcoholics. Carcinogenesis 19(8)1383-1387, 1998.		
	Zhang, Y., Coyne, M.Y., Will, S. G., Levenson, C. H., and Kawasaki, E. S. 1991. Single-base mutational analysis of cancer and genetic disease using membrane bound modified oligonucleotides. Nucleic Acids Research. 19: 3929-3933.		
	Zheng, W., Deitz, A.C., Campbell, D.R., Wen, W-Q., Cerhan, J.R., Sellers, T.A., Folsom, A.R., and Hein, D.W. N-acetyltransferase I genetic polymorphism, cigarette smoking, well-done meat intake, and breast cancer risk. Cancer Epidemiological Biomarkers Prevention 8: 233-239, 1999.		
	Zychma, M. J., Gumprecht, J., Zukowska-Szzechowska, E. & Grzeszczak, W., 1999, Polymorphisms in the genes encoding for human kinin receptors and the risk of end-stage renal failure: results of transmission/disequilibrium test. The End-Stage Renal Disease Study Group, J Am Soc Nephrol, 10, 10, p. 2120-2124.		
	Ban, Y. & Taniyama, M., 2000, Vitamin D Receptor Gene Polymorphism Is Associated with Graves' Disease in the Japanese Population, J Clin Endocrinol Metab, 85, 12, p. 4639-4643.		
	Humphries, S. E., Henry, J. A. & Montgomery, H. E., 1999, Gene-environment interaction in the determination of levels of haemostatic variables involved in thrombosis and fibrinolysis, Blood Coagul Fibrinolysis, 10 Suppl 1, p. S17 - S21.		
	Lee, E., Huang, Y., Zhao, B. et al Genetic polymorphism of conjugating enzymes and cancer risk: GSTM1, GSTT1, NAT1 and NAT2. Journal of the Toxicological Society 23: 140-142, 1998.		
	Nakajima, T. & Aoyama, T., 2000, Polymorphism of drug-metabolizing enzymes in relation to individual susceptibility to industrial chemicals, Ind Health, 38, 2, p. 143 - 152		
	Poolsup, N., Li Wan Po, A. & Knight, T. L., 2000, Pharmacogenetics and psychopharmacotherapy, J Clin Pharm Ther, 25, 3, p. 197 - 220.		
*Examiner		Date Considered	

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application